



2	lamp pole		3M	1.Material: Galvanized pipe equal-diameter pole 2.Diameter:76mm 3.Bottom plate: 200*200*8mm 4.wall thickness:1.5mm 5.Color: sub-black							25*25*120 1pcs/ctn								
---	-----------	---	----	---	--	--	--	--	--	--	-----------------------	--	--	--	--	--	--	--	--


ALL IN ONE SOLAR STREET LIGHT-B series

序号 NO.	产品型号 MODEL NO.	产品图片 Picture	功率 Power	产品详情 Product details	太阳能板Solar Panel	电池Battery	LEDs Qty (pcs)	光通量 Lumens (LM)	灯体尺寸 Lamp size (MM)	外箱尺寸 Carton size (CM)	出厂价(USD)EXW Price / Warranty / Pcs									
											B: 2 Years			B: 3 Years			C: 5 Years			
											100-100	100-1k	≥1k	100-100	100-1k	≥1k	100-100	100-1k	≥1k	
1	VS-CDS-B20		200W	1.Leds:3030, C.R.I.:>70Ra 2.CCT: Cold White 3.Waterproof: IP65 4.Beam Angle: 120° 5.Work Mode: Light Control+Remote Control 6.Charging time: 4-6Hrs 7.Lighting last: 10-16Hrs 8.Housing/Color: Aluminum+Pc / Sand Grey 9.1pcs/ctn	poly 4.5V 40W 750*35*350	3.2V 40AH	102*2	3300-3400	750*50*350	99*40*9.5 11.95kg/ctn										
2	VS-CDS-B30		300W	poly 4.5V 55W 990*35*350	3.2V 50AH	102*3	3800-3900	990*50*350	123.8*40*9.5 17.64kg/ctn											
3	VS-CDS-B40		400W	poly 4.5V 70W 1250*35*350	3.2V 60AH	102*4	4400-4600	1250*50*350	149.5*40*9.5 20.61kg/ctn											


ALL IN ONE SOLAR STREET LIGHT-A series

序号 NO.	产品型号 MODEL NO.	产品图片 Picture	功率 Power	产品详情 Product details	太阳能板Solar Panel	电池Battery	LEDs Qty (pcs)	光通量 Lumens (LM)	灯体尺寸 Lamp size (MM)	内/外箱尺寸 Box/Carton size (CM)	出厂价(USD)EXW Price / Warranty / Pcs									
											A: 2 Years			B: 3 Years			C: 5 Years			
											100-500	500-2k	≥2k	100-500	500-2k	≥2k	100-500	500-2k	≥2k	
1	VS-CDS-A03		30W	1.Leds: 5730, C.R.I.: >70Ra 2.CCT: Cold White 3.Waterproof: IP65 4.Beam Angle: 120° 5.Work Mode: Light Control + Remote Control + Radar Induction (people come 100% light, people go 10% light) 6.Charging time: 4-6Hrs 7.Lighting last: >12Hrs 8. Housing/Color: ABS+PC / Black	poly 6V 6W	3.2V 4.5AH	56*1	300-400	390*190*55	39*19*5.5 62.5*41*22 10boxes 10.95kg/ctn										
2	VS-CDS-A06		60W	poly 6V 8W	3.2V 5.5AH	56*2	600-700	480*220*55	48*22*5.5 74*50*23.5 10boxes 17.64kg/ctn											
3	VS-CDS-A09		90W	poly 6V 12W	3.2V 9AH	56*3	800-900	620*240*55	62*24*5.5 64.5*50.5*25.5 8boxes 20.61kg/ctn											
4	VS-CDS-A12		120W	poly 6V 16W	3.2V 12AH	56*4	1000-1100	720*240*55	72*24*5.5 74*36.5*26 5boxes 15.89kg/ctn											
5	VS-CDS-A15		150W	poly 6V 18W	3.2V 15AH	56*5	1300-1400	820*240*55	83*24*5.5 84*35*26.5 5boxes 15.89kg/ctn											
6	lamp pole		50cm																	


ALL IN ONE SOLAR STREET LIGHT-E series

序号 NO.	产品型号 MODEL NO.	产品图片 Picture	功率 Power	产品详情 Product details	太阳能板Solar Panel	电池Battery	LEDs Qty (pcs)	光通量 Lumens (LM)	灯体尺寸 Lamp size (MM)	外箱尺寸 Carton size (CM)	出厂价(USD)EXW Price / Warranty / Pcs									
											A: 2 Years			B: 3 Years			C: 5 Years			
											100-500	500-2k	≥2k	100-500	500-2k	≥2k	100-500	500-2k	≥2k	
1	VS-CDS-E30		300W	1.Leds: 3030, C.R.I.: >70Ra 2.CCT: Cold White 3.Waterproof: IP65 4.Beam Angle: 120° 5.Work Mode: Remote Control+Light Control 6.Charging time: 4-6Hrs 7.Lighting last: >12Hrs 8. Housing/Color: Aluminum / Gary	mono 6V 40W	3.2V 33AH	306	3000-3100	703*365*87	76*41.5*13 1pcs/ctn										
2	VS-CDS-E40		400W	mono 6V 45W	3.2V 40AH	408	3300-3400	810*365*87	86.5*41.5*1 1pcs/ctn											
3	VS-CDS-E50		500W	mono 6V 53W	3.2V 50AH	510	3800-3900	916*365*87	97*41.5*13 1pcs/ctn											




ALL IN ONE SOLAR STREET LIGHT-C series

序号 NO.	产品型号 MODEL NO.	产品图片 Picture	功率 Power	产品详情 Product details	太阳能板Solar Panel	电池Battery	LEDs Qty (pcs)	光通量 Lumens (LM)	灯体尺寸 Lamp size (MM)	内/外箱尺寸 Box/Carton size (CM)	出厂价(USD)EXW Price / Warranty / Pcs									
											B: 2 Years			B: 3 Years			C: 5 Years			
											100-500	500-2k	≥2k	100-500	500-2k	≥2k	100-500	500-2k	≥2k	
1	VS-CDS-C03		30W	1.Leds:2835, C.R.I.:>70Ra 2.CCT: Cold White 3.Waterproof: IP65 4.Beam Angle: 120° 5.Work Mode: Light Control + Remote Control + Radar Induction (people come 100% light, people go 10% light) 6.Charging time: 4-6Hrs 7.Lighting last: 10-16Hrs 8.Housing/Color: ABS+PC / Black	6V 6W	3.2V 4.5AH	60*1	300-400	360*187*55	19*6.2*36 40*33.5*38 10boxes/ctn										
2	VS-CDS-C06		60W	6V 8W	3.2V 5.5AH	60*2	600-700	478*190*55	19.5*6.2*47 41*33.5*49 10boxes/ctn											
3	VS-CDS-C09		90W	6V 12W	3.2V 9AH	60*3	800-900	600*197*55	20*6.2*60.5 42*33.5*62.5 10boxes/ctn											
4	VS-CDS-C12		120W	6V 15W	3.2V 12AH	60*4	1000-1100	630*250*70	25.5*8*63.5 53*25.5*65.5 6boxes/ctn											




ALL IN ONE SOLAR STREET LIGHT-D series

序号 NO.	产品型号 MODEL NO.	产品图片 Picture	功率 Power	产品详情 Product details	太阳能板Solar Panel	电池Battery	LEDs Qty (pcs)	光通量 Lumens (LM)	灯体尺寸 Lamp size (MM)	内/外箱尺寸 Box/Carton size (CM)	出厂价(USD)EXW Price / Warranty / Pcs									
											B: 2 Years			B: 3 Years			C: 5 Years			
											100-500	500-2k	≥2k	100-500	500-2k	≥2k	100-500	500-2k	≥2k	
1	VS-CDS-D30		300W	1.Leds:3030, C.R.I.:>70Ra 2.CCT: Cold White 3.Waterproof: IP65 4.Beam Angle: 120° 5.Work Mode: Light Control +Radar Induction+Remote Control 6.Charging time: 4-6Hrs 7.Lighting last: 10-16Hrs 8.Housing/Color: ABS+Lens / Silvery price include 50CM pole	6V 22W	3.2V 16AH	84	1100-1200	565*345*65	57*8*43 44.5*34*59.2 4boxes/ctn										
2	VS-CDS-D50		500W	6V 30W	3.2V 22AH	144	2200-2300	710*355*70	72*8*44 74*25.5*44.5 3pcs/ctn											

SPLIT SOLAR STREET LIGHT-H series

序号 NO.	产品型号 MODEL NO.	产品图片 Picture	功率 Power	产品详情 Product details	太阳能板Solar Panel	电池Battery	LEDs Qty (pcs)	光通量 Lumens (LM)	灯体尺寸 Lamp size (MM)	外箱尺寸 Carton size (CM)	出厂价(USD)EXW Price / Warranty / Pcs									
											A: 2 Years			B: 3 Years			C: 5 Years			
											30-100	100-1k	≥1k	30-100	100-1k	≥1k	30-100	100-1k	≥1k	
1	VS-SSL-H20		200W	1.Leds:5054, C.R.I.:>70Ra 2.CCT: Cold White 3.Waterproof: IP66 4.Beam Angle: 120° 5.Work Mode: 6.Charging time: 4-6Hrs 7.Lighting last: 10-12Hrs 8.Housing/Color: Aluminum+Glass / Black 9.Cable Length: 0.8M 10.1pcs/ctn	Mono 5V 25W 390*375*17	3.2V 22AH	50	2200-2300	490*210*65	54.5*41*11.5 1pcs/ctn 5.1kg/ctn										
2	VS-SSL-H30		300W	1.Leds:5054, C.R.I.:>70Ra 2.CCT: Cold White 3.Waterproof: IP66 4.Beam Angle: 120° 5.Work Mode: 6.Charging time: 4-6Hrs 7.Lighting last: 10-12Hrs 8.Housing/Color: Aluminum+Glass / Black 9.Cable Length: 0.8M 10.1pcs/ctn	Mono 5V 30W 390*450*17	3.2V 27AH	50	2600-2700	490*210*65	54.5*41*11.5 1pcs/ctn 5.5kg/ctn										
3	VS-SSL-H40		400W	1.Leds:5054, C.R.I.:>70Ra 2.CCT: Cold White 3.Waterproof: IP66 4.Beam Angle: 120° 5.Work Mode: 6.Charging time: 4-6Hrs 7.Lighting last: 10-12Hrs 8.Housing/Color: Aluminum+Glass / Black 9.Cable Length: 0.8M 10.1pcs/ctn	Mono 5V 40W 390*590*17	3.2V 32AH	50	3200-3400	490*210*65	61*41*11.5 1pcs/ctn 6.2kg/ctn										

SPLIT SOLAR STREET LIGHT-I series For Project

序号 NO.	产品型号 MODEL NO.	产品图片 Picture	功率 Power	产品详情 Product details	太阳能板Solar Panel	电池Battery	LEDs Qty (pcs)	光通量 Lumens (LM)	灯体尺寸 Lamp size (MM)	灯体/太阳能板 外箱尺寸 Lamp/Panel Carton size	出厂价(USD)EXW Price / Warranty / Pcs									
											A: 2 Years			B: 3 Years			C: 5 Years			
											30-100	100-1k	≥1k	30-100	100-1k	≥1k	30-100	100-1k	≥1k	
1	VS-SSL-I1		50W	1.Leds:5054, C.R.I.:>70Ra 2.CCT: Cold White 3.Waterproof: IP66 4.Work Mode: Light Control 5.Charging time: 4-6Hrs 6.Lighting last: 10-16Hrs 7.Housing/Color: Aluminum+Pc / Grey 8.Cable Length: 2.5M 9.J-Frame Carton Box Size: 56.5*47*26.5cm,10pcs/ctn	poly 6V 50W 670*540*25	3.2V 40AH	50	2800-3000	53*23.5*10	56.5*47*26.5, 4pcs/ctn 72*14.5*9, 4pcs/ctn										
2	VS-SSL-I2		50W	1.Leds:5054, C.R.I.:>70Ra 2.CCT: Cold White 3.Waterproof: IP66 4.Work Mode: Light Control 5.Charging time: 4-6Hrs 6.Lighting last: 10-16Hrs 7.Housing/Color: Aluminum+Pc / Grey 8.Cable Length: 2.5M 9.J-Frame Carton Box Size: 56.5*47*26.5cm,10pcs/ctn	poly 6V 60W 670*620*25	3.2V 45AH	50	3200-3400	53*23.5*10	56.5*47*26.5, 4pcs/ctn 88*15.5*72, 4pcs/ctn										
3	VS-SSL-I3		50W	1.Leds:5054, C.R.I.:>70Ra 2.CCT: Cold White 3.Waterproof: IP66 4.Work Mode: Light Control 5.Charging time: 4-6Hrs 6.Lighting last: 10-16Hrs 7.Housing/Color: Aluminum+Pc / Grey 8.Cable Length: 2.5M 9.J-Frame Carton Box Size: 56.5*47*26.5cm,10pcs/ctn	poly 6V 80W 670*835*25	3.2V 60AH	50	3900-4100	53*23.5*10	56.5*47*26.5, 4pcs/ctn 104.5*15.5*72, 4pcs/ctn										

1.Price based on EXW term, NOT include any freight cost, or ANY import tax, or your local port fees (NO import experience pls ask us your local port fees, we can check for you) .

2.less than MOQ order, will charged extra minimum SMD consumption cost \$2.00-\$5.00/pc (Including Sample Order), thanks for your kind understanding .

3.We are looking for Exclusive Distributor Worldwide (city partners or province/state partners), pls contact your client manager for more .

4.Too many various models & configuration,material prices fluctuate wildly,so all prices here is ONLY for references,NOT the final price,for final price pls contact client manager to caculate exacty.